

Certificate

Fire Resistant Timber Door Scheme

Certificate Number: FRTD 410

kiwa

Initial Certification: 01 February 2006
Re-issued: 27 January 2022
Valid to: 31 January 2027
Revised: 20 April 2026
Issue No: 25

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

Halspan Limited

Regent House, Regent Centre

Linlithgow

West Lothian

EH49 7HU

Tel: +44 (0) 1506 827538 Fax: +44 (0) 1506 825996

E-mail: doors@halspan.com Web: www.halspan.com

Who supply door blanks for the manufacture of the following fire doors & doorsets:

Halspan Optima FD30, FD30S, FD60, FD60S.

Halspan Prima FD30, FD30S, FD60, FD60S.

Halspan Prima Plus FD30, FD60, FD90, FD120.

Halspan FD90, FD120.

Halspan XT30, XT60.

Halspan IT30, IT60.

manufactured at sites: **F-C, KK, A-ZH, A-ZJ, R-D, R-E**, have satisfied the requirements of the scheme SDP 01 v3.9. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **from 30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



David Mowatt

Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



Certificate is only valid if verified on the website.

Check the validity of this certificate by scanning this

QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

Certificate

The production of fire-resistant timber doorsets are manufactured in accordance with the assessment / test reports referenced within the following table:

Product Description	Fire Rating	Assessment / Test Report
Halspan Prima	FD30	IFCA/06166, FEA/F97174
Halspan Prima	FD60	IFCA/06167, FEA/F96103
Halspan Optima	FD30	PAR/10341/01, Chilt/A01204
Halspan Optima	FD60	PAR/10341/02, FEA/F01205
Halspan	FD90	PAR/10513/01, Chilt/A05151
Halspan	FD120	PAR/10513/02, BMT/CNA/F15082
Halspan Prima Plus	FD30	IFCA/15953/01, FEA/F97174 Part 5
Halspan Prima Plus	FD60	IFCA/15953/02, FEA/F96103 Part 5
Halspan Prima Plus	FD90	PAR/17519/01
Halspan Prima Plus	FD120	PAR/17519/02
Halspan XT30	FD30	PAR/20910/01, Chilt/A13242
Halspan IT30	FD30	PAR/20910/01, Chilt/A13242
Halspan XT60	FD60	PAR/21548/01, Chilt/A13227
Halspan IT60	FD60	PAR/21548/01, Chilt/A13227
Halspan Prima / Optima 30	Smoke	WYC55203*, WYC55204*
Halspan Prima / Optima 60	Smoke	WYC55201*, WYC55205*

*Refer to Technical Note TN/25285/01 for comparison between BS EN 1634-3:2004 and BS 476-31.1:1983 testing, allowing smoke seals tested to BS EN 1634-3:2004 to be included within the scope of this certificate.

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.