Certificate

Fire Resistant Timber Door Scheme

Certificate Number: IFCC 2044

Initial Certification:	18 June 2025	**Revised:**	26 October 2026
Valid to:	31 January 2030	**Issue No:**	4

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

Halspan Limited

Regent House, Regent Centre
Linlithgow
West Lothian
EH49 7HU
Tel: +44 (0) 1506 827538 Fax: +44 (0) 1506 825996
E-mail: doors@halspan.com Web: www.halspan.com

Who supply door blanks for the manufacture of the following fire doors & doorsets:

Halspan AFS 30 - EI_230 Sa_4, EW30 Sa_4
Halspan AFS 60 - E60 Sa_4, EI_260 Sa_4, EW60 Sa_4
Halspan Prima 30 - E30, EI30, EW30.

manufactured at sites: **F-II**, **F-C**, **R-D, R-E**, have satisfied the requirements of the SDP 01 Fire Resistant Timber Door scheme v3.9. This includes the testing of products to **BS EN1634-1:2014+A1:2018 and BS EN1634-3:2004,** the inspection of Factory Production Control and continuing surveillance audits, and testing of samples of products taken from production. The product specification and documentation to achieve **from 30 to 60 minutes integrity & insulation with smoke control** are detailed on page 2 of this certificate.

David Mowatt
Head of IFC Certification /
Kiwa UK

kiwa CERTIFIED Product Scheme IFC Certification
UKAS PRODUCT CERTIFICATION 0175

Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

Certificate

The production of fire-resistant timber doorsets are manufactured in accordance with the test / classification reports referenced within the following table:

Product Description	Performance Rating	DIAP/EXAP/Classification
Halspan AFS 30 SASD	$EI_2$30 Sa_4 EW30 Sa_4	WF555054 WF561049
Halspan AFS 30 SASD, SADD	$EI_2$30 Sa_4	WF557017 issue 2
Halspan AFS 60 SASD	E60, $EI_2$60	WF550476
Halspan AFS 60 SADD	EW60 Sa_4	WF554617 WF561050
Halspan AFS 60 SADD	EW60 Sa_4	WF554618
Halspan AFS 60 SADD	E60	WF555287
Halspan AFS 60 SADD	E60	WF555288
Halspan AFS 60 SASD, SADD	EW60 Sa_4	WF556325 issue 2
Halspan Prima 30	E30, EW30	01509289SHJ-001A 01659767SHJ-001A
Halspan Prima 30	E30, EW30, EI30	01509289SHJ-001B 01659767SHJ-001B

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.